

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 15-Jan-2015

Revision Date 19-May-2025

**Revision Number** 9

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Cat No. : Synonyms Index No CAS No EC No Molecular Formula REACH registration number Di-n-butylamine D/1340/PB08, D/1340/08 N-Butyl-1-butanamine 612-049-00-0 111-92-2 203-921-8 C8 H19 N 01-2119475606-30

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Sector of use Product category Process categories Environmental release category Uses advised against Laboratory chemicals. SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites PC21 - Laboratory chemicals PROC15 - Use as a laboratory reagent ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

#### EU entity/business name

Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### **Di-n-butylamine**

### Physical hazards


Flammable liquids

#### Health hazards

Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16





Signal Word

Danger

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H301 + H311 - Toxic if swallowed or in contact with skin

EUH071 - Corrosive to the respiratory tract

#### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) Lachrymator (substance which increases the flow of tears) This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Category 3 (H301) Category 3 (H311) Category 2 (H330) Category 1 B (H314) Category 1 (H318)

#### **Di-n-butylamine**

### 3.1. Substances

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Di-n-butylamine	111-92-2	EEC No. 203-921-8	<=100	Flam. Liq. 3 (H226) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Cor. 1B (H314) Eye Dam. 1 (H318) EUH071

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)	
Di-n-butylamine	220 mg/kg bw	300 mg/kg bw	1,2 mg/L (vapours)	
REACH registration number		01-2119475	606-30	

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated
4.3. Indication of any immediate me	dical attention and special treatment needed
Notes to Physician	Treat symptomatically.

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons No information available.

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### **Di-n-butylamine**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s):

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) See table for values

ComponentAcute effects local<br/>(Inhalation)Acute effects<br/>systemic (Inhalation)Chronic effects local<br/>systemic (Inhalation)Chronic effects<br/>systemic (Inhalation)Di-n-butylamine<br/>111-92-2 ( <=100 )</td>DNEL = 29mg/m³DNEL = 29mg/m³DNEL = 29mg/m³DNEL = 29mg/m³

#### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	-
Di-n-butylamine	PNEC = 0.084mg/L	PNEC = 11.4mg/kg	PNEC = 0.084mg/L	PNEC = 149.5mg/L	PNEC = 2.23mg/kg
111-92-2(<=100)		sediment dw			soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Di-n-butylamine		PNEC = 1.14mg/kg			
111-92-2(<=100)	0.0084mg/L	sediment dw			

#### 8.2. Exposure controls

#### Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Eye Protection	<b>quipment</b> G	oggles (European stand	dard - EN 166)	
Hand Protection	Pi	rotective gloves		
Glove material Natural rubber Nitrile rubber Neoprene PVC	See manufact recommendat	tions	EN 374	Glove comments (minimum requirement)
Skin and body pro	tection W	ear appropriate protecti	ve gloves and clothing to p	prevent skin exposure.
Refer to manufacturer/s Ensure gloves are suita	supplier for inform ble for the task: C so take into consid	ation) hemical compatability, I leration the specific loca	Dexterity, Operational cond	bvided by the supplier of the gloves. ditions, User susceptibility, e.g. he product is used, such as the dange
Respiratory Protect	ap	opropriate certified respi	rators.	exposure limit they must use
		nd maintained properly	piratory protective equipm	ent must be the correct fit and be use
.arge scale/emergenc	ar : <b>y use</b> U: ar Ri	nd maintained properly se a NIOSH/MSHA or E re exceeded or if irritatio ecommended Filter typ	uropean Standard EN 136 n or other symptoms are e	approved respirator if exposure limits experienced prming to EN 143 Ammonia and orgar
Large scale/emergenc	ar :y use U: ar R R ar y use U: lir lir 14	nd maintained properly se a NIOSH/MSHA or E re exceeded or if irritatio ecommended Filter typ mmonia derivatives filter se a NIOSH/MSHA or E nits are exceeded or if ir ecommended half mas	uropean Standard EN 136 n or other symptoms are e <b>be:</b> Particulates filter confo Type K Green conforming uropean Standard EN 149 ritation or other symptoms	approved respirator if exposure limits experienced orming to EN 143 Ammonia and orgar to EN14387 22001 approved respirator if exposure are experienced. ; or; Half mask: EN140; plus filter, EN

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	No information available	
Odor	Rotten-egg like	
Odor Threshold	No data available	
Melting Point/Range	-62 °C / -79.6 °F	
Softening Point	No data available	
Boiling Point/Range	159 °C / 318.2 °F	@ 760 mmHg
Flammability (liquid)	Flammable	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 0.6 Vol%	•
•	Upper 6.8 Vol%	
Flash Point	39 °C / 102.2 °F	Method - No information available
Autoignition Temperature	260 °C / 500 °F	
Decomposition Temperature	No data available	
pH	11.1	
Viscosity	0.9 mPa s at 20 °C	

**Di-n-butylamine** 

#### **Di-n-butylamine**

Water Solubility	4.05 g/L (25°C)	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wa	ter)	
Component	log Pow	
Di-n-butylamine	2.1	
Vapor Pressure	2.3 mbar @ 20 °C	
Density / Specific Gravity	0.760	
Bulk Density	Not applicable	Liquid
Vapor Density	4.5	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	
9.2. Other information Molecular Formula Molecular Weight Explosive Properties	C8 H19 N 129.24 explosive air/vapour mixtures possibl	
S	ECTION 10: STABILITY AND	REACTIVITY
10.1. Reactivity		
	None known, based on information av	aliable

10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reacti	ions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Temperatures above 40°C. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	Acids. Strong oxidizing agents. Amines. Chlorine. Acid anhydrides. Acid chlorides. Carbon dioxide (CO2). halogenated agents.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

<b>SECTION 11: TOXICOLOGICAL</b>	<b>INFORMATION</b>
----------------------------------	--------------------

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;	
Oral	Category 3
Dermal	Category 3
Inhalation	Category 2

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Di-n-butylamine	LD50 = 189 mg/kg (Rat)	LD50 = 768 mg/kg(Rabbit)	> 2 mg/L (Rat)1 h

#### **Di-n-butylamine**

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Di-n-butylamine	220 mg/kg bw	300 mg/kg bw	1,2 mg/L (vapours)
(b) skin corrosion/irritation;	Category 1 B		
(c) serious eye damage/irritation;	Category 1		
(d) respiratory or skin sensitization; Respiratory Skin	Based on available data, the c Based on available data, the c		
(e) germ cell mutagenicity;	Based on available data, the c	classification criteria are not me	et
(f) carcinogenicity;	Based on available data, the c	classification criteria are not me	et
	There are no known carcinoge	enic chemicals in this product	
(g) reproductive toxicity; (h) STOT-single exposure;	Based on available data, the of Based on available data, the of		
(i) STOT-repeated exposure;	Based on available data, the c	classification criteria are not me	et
Target Organs	None known.		
(j) aspiration hazard;	Based on available data, the c	classification criteria are not me	et
Symptoms / effects,both acute and delayed	Symptoms of overexposure m Ingestion causes severe swell perforation. Product is a corro- contraindicated. Possible perf	ing, severe damage to the deli sive material. Use of gastric la	icate tissue and danger of avage or emesis is
44.0 Information on other because			

#### 11.2. Information on other hazards

Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. known or suspected endocrine disruptors.	This product does not contain any

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Di-n-butylamine	LC50: = 5.5 mg/L, 96h (Oncorhynchus mykiss)	EC50: = 66 mg/L, 48h (Daphn magna)	a EC50: = 19 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 19 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 16.4 mg/L, 72h (Desmodesmus subspicatus) EC50: = 1.16 mg/L, 96h (Desmodesmus subspicatus)

#### **Di-n-butylamine**

Component	Microtox	M-Factor
Di-n-butylamine	EC50 = 196 mg/L 17 h	

12.2. Persistence and degradability Expected to be biodegradable Persistence Persistence is unlikely. Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

	(BCF)	Bioconcentration factor (BCF)	log Pow	Component
Di-n-butylamine 2.1 No data available		No data available	2.1	Di-n-butylamine

<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
<u>12.5. Results of PBT and vPvB</u> assessment	Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects	

**Persistent Organic Pollutant** This product does not contain any known or suspected substance **Ozone Depletion Potential** This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

#### 14.1. UN number

UN2248

Revision Date 19-May-2025

	•••••••••••
Di-n-butylamine	
<u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	DI-n-BUTYLAMINE 8 3 II
ADR	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN2248 DI-n-BUTYLAMINE 8 3 II
IATA	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN2248 Di-n-BUTYLAMINE 8 3 II
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk	Not applicable, packaged goods

14.7. Maritime transport in bulk according to IMO instruments

### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Di-n-butylamine	111-92-2	203-921-8	-	-	Х	Х	KE-04223	Х	Х
Component	CAS No	TSCA	notific	iventory ation - Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Di-n-butylamine	111-92-2	Х	ACT	IVE	Х	-	Х	X	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Not applicable

### Authorisation/Restrictions according to EU REACH

**REACH Regulation (EC** Component CAS No REACH (1907/2006) -REACH (1907/2006) -1907/2006) article 59 -Annex XIV - Substances Annex XVII - Restrictions Subject to Authorization on Certain Dangerous Candidate List of Substances of Very High Substances Concern (SVHC) Di-n-butylamine 111-92-2

### Seveso III Directive (2012/18/EC)

#### **Di-n-butylamine**

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/EC)	
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Di-n-butylamine	111-92-2	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Di-n-butylamine	WGK1	

Component	France - INRS (Tables of occupational diseases)
Di-n-butylamine	Tableaux des maladies professionnelles (TMP) - RG 49,RG 49bis

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

- H311 Toxic in contact with skin
- H330 Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

- EUH071 Corrosive to the respiratory tract
- H226 Flammable liquid and vapor

### Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commer	cial Chemical <b>DSL/NDSL</b> - Canadian Domestic Substances List/Non-Domestic
Substances/EU List of Notified Chemical Substances	Substances List
PICCS - Philippines Inventory of Chemicals and Chemical S	Substances ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substance	s AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substance	es <b>NZIOC</b> - New Zealand Inventory of Chemicals

#### **Di-n-butylamine**

WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)
Key literature references and sources for data	

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	15-Jan-2015
Revision Date	19-May-2025
Revision Summary	SDS sections updated.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

## . Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**