

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 15-Jan-2015 Revision Date 19-May-2025 Revision Number 9

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Di-n-butylamine

Cat No.: 112950000; 112950010; 112950025; 112950050; 112950100; 112950500

Synonyms N-Butyl-1-butanamine

 Index No
 612-049-00-0

 CAS No
 111-92-2

 EC No
 203-921-8

 Molecular Formula
 C8 H19 N

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use**Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

#### Di-n-butylamine Revision Date 19-May-2025

Flammable liquids Category 3 (H226)

#### **Health hazards**

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 3 (H301)

Category 3 (H311)

Category 2 (H330)

Category 1 B (H314)

Category 1 (H318)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

# 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H301 + H311 - Toxic if swallowed or in contact with skin

EUH071 - Corrosive to the respiratory tract

# **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) Lachrymator (substance which increases the flow of tears)

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substances

| Component | CAS No | EC No | Weight % | GHS Classification - According to |
|-----------|--------|-------|----------|-----------------------------------|

#### Di-n-butylamine Revision Date 19-May-2025

|                 |          |                   |       | GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567  |
|-----------------|----------|-------------------|-------|--|
| Di-n-butylamine | 111-92-2 | EEC No. 203-921-8 | <=100 | Flam. Liq. 3 (H226) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Cor. 1B (H314) Eye Dam. 1 (H318) EUH071 |

| Component       | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|-----------------|-----------------------|-------------------------|-----------------------------|
| Di-n-butylamine | 220 mg/kg bw          | 300 mg/kg bw            | 1,2 mg/L (vapours)          |

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or

esophagus should be investigated

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

# Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

\_\_\_\_\_

#### Di-n-butylamine

Revision Date 19-May-2025

# Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3

Di-n-butylamine Revision Date 19-May-2025

Storage Class (LGK) (Germany)

# 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s):

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                             | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Di-n-butylamine<br>111-92-2 ( <=100 ) | DNEL = 29mg/m <sup>3</sup>       | DNEL = 29mg/m <sup>3</sup>          | DNEL = 29mg/m <sup>3</sup>         | DNEL = 29mg/m <sup>3</sup>            |

#### **Predicted No Effect Concentration (PNEC)**

See values below.

| Component          | Fresh water      | Fresh water sediment |                  | Microorganisms in sewage treatment | ` ' '            |
|--------------------|------------------|----------------------|------------------|------------------------------------|------------------|
| Di-n-butylamine    | PNEC = 0.084mg/L | PNEC = 11.4mg/kg     | PNEC = 0.084mg/L | PNEC = 149.5mg/L                   | PNEC = 2.23mg/kg |
| 111-92-2 ( <=100 ) |                  | sediment dw          |                  |                                    | soil dw          |

| Component                             | Marine water         | Marine water sediment           | Marine water intermittent | Food chain | Air |
|---------------------------------------|----------------------|---------------------------------|---------------------------|------------|-----|
| Di-n-butylamine<br>111-92-2 ( <=100 ) | PNEC =<br>0.0084mg/L | PNEC = 1.14mg/kg<br>sediment dw |                           |            |     |

### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Di-n-butylamine Revision Date 19-May-2025

\_\_\_\_\_

| Glove material Natural rubber Nitrile rubber Neoprene PVC  Breakthrough til See manufacture recommendation | ers - | EU standard<br>EN 374 | Glove comments<br>(minimum requirement) |
|--|-------|-----------------------|---|
|--|-------|-----------------------|---|

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Ammonia and organic

ammonia derivatives filter Type K Green conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

@ 760 mmHg

Method - No information available

141

When RPE is used a face piece Fit Test should be conducted

system.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance No information available

Odor Rotten-egg like
Odor Threshold No data available
Melting Point/Range -62 °C / -79.6 °F
Softening Point No data available
Boiling Point/Range 159 °C / 318.2 °F
Flammability (liquid) Flammable

Flammability (liquid) Flammable On basis of test data Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 0.6 Vol% Upper 6.8 Vol%

Flash Point 39 °C / 102.2 °F

Autoignition Temperature 260 °C / 500 °F Decomposition Temperature No data available

**pH** 11.1

Viscosity0.9mPa s at 20 °CWater Solubility4.05 g/L (25°C)Solubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Component log Pow

Di-n-butylamine Revision Date 19-May-2025

Di-n-butylamine 2.1

Vapor Pressure 2.3 mbar @ 20 °C

Density / Specific Gravity 0.760

Bulk DensityNot applicableLiquidVapor Density4.5(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula C8 H19 N Molecular Weight 129.24

**Explosive Properties** explosive air/vapour mixtures possible

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Temperatures above 40°C. Incompatible products. Keep away from open flames, hot

surfaces and sources of ignition.

10.5. Incompatible materials

Acids. Strong oxidizing agents. Amines. Chlorine. Acid anhydrides. Acid chlorides. Carbon

dioxide (CO2). halogenated agents.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

OralCategory 3DermalCategory 3InhalationCategory 2

| Component       | LD50 Oral              | LD50 Dermal               | LC50 Inhalation    |
|-----------------|------------------------|---------------------------|--------------------|
| Di-n-butylamine | LD50 = 189 mg/kg (Rat) | LD50 = 768 mg/kg (Rabbit) | > 2 mg/L (Rat) 1 h |
|                 |                        |                           |                    |

| Component       | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|-----------------|-----------------------|-------------------------|-----------------------------|
| Di-n-butylamine | 220 mg/kg bw          | 300 mg/kg bw            | 1,2 mg/L (vapours)          |

**(b) skin corrosion/irritation**; Category 1 B

Di-n-butylamine Revision Date 19-May-2025

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory

Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (e) germ cell mutagenicity;

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** 

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component       | Freshwater Fish       | Water Flea                    | Freshwater Algae                  |
|-----------------|-----------------------|-------------------------------|-----------------------------------|
| Di-n-butylamine | LC50: = 5.5 mg/L, 96h | EC50: = 66 mg/L, 48h (Daphnia | EC50: = 19 mg/L, 96h static       |
|                 | (Oncorhynchus mykiss) | magna)                        | (Pseudokirchneriella subcapitata) |
|                 |                       |                               | EC50: = 19 mg/L, 96h              |
|                 |                       |                               | (Pseudokirchneriella subcapitata) |
|                 |                       |                               | EC50: = 16.4 mg/L, 72h            |
|                 |                       |                               | (Desmodesmus subspicatus)         |
|                 |                       |                               | EC50: = 1.16 mg/L, 96h            |
|                 |                       |                               | (Desmodesmus subspicatus)         |
|                 |                       |                               | i ' '                             |

| Component       | Microtox             | M-Factor |
|-----------------|----------------------|----------|
| Di-n-butylamine | EC50 = 196 mg/L 17 h |          |

Di-n-butylamine Revision Date 19-May-2025

12.2. Persistence and degradability Expected to be biodegradable

Persistence Persistence is unlikely.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Di-n-butylamine | 2.1     | No data available             |

12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant

Persistent Organic Pollutar Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH

and harm aquatic organisms.

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

<u>14.1. UN number</u> UN2248

14.2. UN proper shipping name DI-n-BUTYLAMINE

14.3. Transport hazard class(es)8Subsidiary Hazard Class314.4. Packing groupII

Di-n-butylamine

#### ADR

**14.1. UN number** UN2248

14.2. UN proper shipping name DI-n-BUTYLAMINE

14.3. Transport hazard class(es)8Subsidiary Hazard Class314.4. Packing groupII

#### <u>IATA</u>

**14.1. UN number** UN2248

**14.2. UN proper shipping name** Di-n-BUTYLAMINE

14.3. Transport hazard class(es)8Subsidiary Hazard Class314.4. Packing groupII

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component       | CAS No   | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------------|----------|-----------|--------|-----|-------|------|----------|------|------|
| Di-n-butylamine | 111-92-2 | 203-921-8 | ı      | -   | X     | X    | KE-04223 | Χ    | X    |
|                 |          |           |        |     |       |      |          |      |      |

| Com    | ponent    | CAS No   | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------|-----------|----------|------|---|-----|------|------|-------|-------|
| Di-n-b | utylamine | 111-92-2 | Х    | ACTIVE  | Х   | -    | X    | Х     | Х     |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Authorisation/Restrictions according to EU REACH Not applicable

| Component       | CAS No   | REACH (1907/2006) -<br>Annex XIV - Substances<br>Subject to Authorization | 3 | REACH Regulation (EC<br>1907/2006) article 59 -<br>Candidate List of<br>Substances of Very High<br>Concern (SVHC) |
|-----------------|----------|---|---|---|
| Di-n-butylamine | 111-92-2 | -   | = | =   |

#### Seveso III Directive (2012/18/EC)

| Component       | CAS No   | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - |
|-----------------|----------|---|-------------------------------------|
|                 |          | Notification  | Requirements                        |
| Di-n-butylamine | 111-92-2 | Not applicable  | Not applicable                      |

\_\_\_\_\_

Revision Date 19-May-2025

#### Di-n-butylamine

Revision Date 19-May-2025

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

| 1 | Component       | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|---|-----------------|---------------------------------------|-------------------------|
|   | Di-n-butylamine | WGK1                                  |                         |

| Component       | France - INRS (Tables of occupational diseases)               |
|-----------------|---|
| Di-n-butylamine | Tableaux des maladies professionnelles (TMP) - RG 49,RG 49bis |

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH071 - Corrosive to the respiratory tract

H226 - Flammable liquid and vapor

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

Page 11/12

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

**KECL** - Korean Existing and Evaluated Chemical Substances

TWA - Time Weighted Average

WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**DNEL** - Derived No Effect Level RPE - Respiratory Protective Equipment

LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50%

# Di-n-butylamine Revision Date 19-May-2025

NOEC - No Observed Effect ConcentrationPOW - Partition coefficient Octanol:WaterPBT - Persistent, Bioaccumulative, ToxicvPvB - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Creation Date** 15-Jan-2015 **Revision Date** 19-May-2025

**Revision Summary** SDS sections updated.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**