

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 20-Jul-2010 Revision Date 06-Dec-2024 **Revision Number** 7

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

1.1. Product identifier

**Product Description:** 4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

431860000; 431860500 Cat No.:

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals. No Information available Uses advised against

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

begel.sdsdesk@thermofisher.com E-mail address

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

**Physical hazards** 

Flammable liquids Category 2 (H225)

**Health hazards** 

Acute oral toxicity Category 4 (H302) Skin Corrosion/Irritation Category 1 B (H314) Serious Eye Damage/Eye Irritation Category 1 (H318)

Carcinogenicity Category 2 (H351)

Page 1/13

#### 4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

Specific target organ toxicity - (single exposure)

Category 3 (H335) (H336)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



#### Signal Word

Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

EUH014 - Reacts violently with water

EUH019 - May form explosive peroxides

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

#### 2.3. Other hazards

Reacts violently with water

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

| Component                                | CAS No     | EC No | Weight % | GHS Classification - According to<br>GB-CLP Regulations UK SI 2019/720 and<br>UK SI 2020/1567 |
|--|------------|-------|----------|---|
| 4-Fluoro-3-methylphenylmagnesium bromide | 82297-89-0 |       | 11       | Skin Corr. 1B (H314)<br>Eye Dam. 1 (H318)<br>(EUH014)   |

## 4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

| Tetrahydrofuran | 109-99-9 | 203-726-8 | 89 | Flam. Liq. 2 (H225) |
|-----------------|----------|-----------|----|---------------------|
|                 |          |           |    | Acute Tox. 4 (H302) |
|                 |          |           |    | Eye Irrit. 2 (H319) |
|                 |          |           |    | STOT SE 3 (H335)    |
|                 |          |           |    | STOT SE 3 (H336)    |
|                 |          |           |    | Carc. 2 (H351)      |
|                 |          |           |    | (EUH019)            |

| Component       | Specific concentration limits (SCL's)                                    | M-Factor | Component notes |
|-----------------|--|----------|-----------------|
| Tetrahydrofuran | Acute Tox. 4 :: C>82.5%<br>Eye Irrit. 2 :: C>=25%<br>STOT SE 3 :: C>=25% | -        | -               |

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

## 4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

## Extinguishing media which must not be used for safety reasons

Water.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Magnesium oxides.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Should not be released into the environment.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

\_\_\_\_\_

Revision Date 06-Dec-2024

## 4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

#### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Flammables area. Keep away from heat, sparks and flame. Store indoors. Keep away from water or moist air. Store under an inert atmosphere. Shelf life 12 months. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 3

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component       | The United Kingdom                 | European Union                      | Ireland                            |
|-----------------|------------------------------------|-------------------------------------|------------------------------------|
| Tetrahydrofuran | STEL: 100 ppm 15 min               | TWA: 50 ppm (8h)                    | TWA: 50 ppm 8 hr.                  |
|                 | STEL: 300 mg/m <sup>3</sup> 15 min | TWA: 150 mg/m <sup>3</sup> (8h)     | TWA: 150 mg/m <sup>3</sup> 8 hr.   |
|                 | TWA: 50 ppm 8 hr                   | STEL: 100 ppm (15min)               | STEL: 100 ppm 15 min               |
|                 | TWA: 150 mg/m <sup>3</sup> 8 hr    | STEL: 300 mg/m <sup>3</sup> (15min) | STEL: 300 mg/m <sup>3</sup> 15 min |
|                 | Skin                               | Skin                                | Skin                               |

#### **Biological limit values**

List source(s):

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component       | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-----------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Tetrahydrofuran |                              |                                 |                                | DNEL = 12.6mg/kg                  |
| 109-99-9 ( 89 ) |                              |                                 |                                | bw/day                            |

| Component                          | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Tetrahydrofuran<br>109-99-9 ( 89 ) | DNEL = 300mg/m <sup>3</sup>      | DNEL = 96mg/m <sup>3</sup>          | DNEL = 150mg/m <sup>3</sup>        | DNEL = 72.4mg/m <sup>3</sup>          |

#### **Predicted No Effect Concentration (PNEC)**

See values below.

|   | Component       | Fresh water     | Fresh water sediment |                 | Microorganisms in sewage treatment | · · ·            |
|---|-----------------|-----------------|----------------------|-----------------|------------------------------------|------------------|
| Γ | Tetrahydrofuran | PNEC = 4.32mg/L | PNEC = 23.3 mg/kg    | PNEC = 21.6mg/L | PNEC = 4.6mg/L                     | PNEC = 2.13mg/kg |

ACR43186

Revision Date 06-Dec-2024

## 4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

| 109-99-9 ( 89 ) | sediment dw |  |  | soil dw |
|-----------------|-------------|--|--|---------|
|-----------------|-------------|--|--|---------|

| Component       | Marine water     | Marine water sediment | Marine water intermittent | Food chain     | Air |
|-----------------|------------------|-----------------------|---------------------------|----------------|-----|
| Tetrahydrofuran | PNEC = 0.432mg/L | PNEC = 2.33mg/kg      |                           | PNEC = 67mg/kg |     |
| 109-99-9 ( 89 ) |                  | sediment dw           |                           | food           |     |

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material  | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|-----------------|-------------------|-----------------|-------------|-----------------------|
| Butyl rubber    | See manufacturers | -               | EN 374      | (minimum requirement) |
|                 | recommendations   |                 |             |                       |
| Neoprene gloves |                   |                 |             |                       |

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

Physical State Liquid

**Appearance** Yellow

Odor
Odor No information available
No data available
Melting Point/Range
No data available
No data available
No data available
No information available
No information available

Flammability (liquid) Highly flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point -26 °C / -14.8 °F Method - No information available

Autoignition Temperature
Decomposition Temperature
pH
Viscosity
No data available
No information available
No data available
No data available
Reacts violently with water

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

Componentlog PowTetrahydrofuran0.45

Vapor Pressure No data available

Density / Specific Gravity 1.001

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

**Explosive Properties** Vapors may form explosive mixtures with air

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Reactive Hazard; Yes

10.2. Chemical stability

Reacts violently with water. May form explosive peroxides.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing. Reacts violently with water.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to air. Exposure to light. Exposure to moist air or water.

Exposure to moisture.

10.5. Incompatible materials

Water. Acids. Acid chlorides. Chloroformates. Alcohols. oxygen. Oxidizing agent.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Magnesium oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Revision Date 06-Dec-2024

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Inhalation

#### Toxicology data for the components

| Component       | LD50 Oral          | LD50 Dermal           | LC50 Inhalation     |
|-----------------|--------------------|-----------------------|---------------------|
| Tetrahydrofuran | 1650 mg/kg ( Rat ) | > 2000 mg/kg (Rabbit) | 180 mg/L (Rat) 1 h  |
|                 |                    |                       | 53.9 mg/L (Rat) 4 h |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

| Component       | Test method             | Test species | Study result    |
|-----------------|-------------------------|--------------|-----------------|
| Tetrahydrofuran | Local Lymph Node Assay  | mouse        | non-sensitising |
| 109-99-9 ( 89 ) | OFCD Test Guideline 429 |              | _               |

(e) germ cell mutagenicity; No data available

| Component       | Test method                  | Test species | Study result |
|-----------------|------------------------------|--------------|--------------|
| Tetrahydrofuran | OECD Test Guideline 476      | in vivo      | negative     |
| 109-99-9 ( 89 ) | Gene cell mutation           | Mammalian    | _            |
|                 | OECD Test Guideline 473      |              |              |
|                 | Chromosomal aberration assay | in vitro     | negative     |
|                 |                              | Mammalian    |              |

Category 2 (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Limited evidence of a carcinogenic effect

| Component       | EU | UK | Germany | IARC     |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran |    |    |         | Group 2B |

(a) reproductive toxicity: No data available

| (g) represente texterty; |                         |                         |                   |
|--------------------------|-------------------------|-------------------------|-------------------|
| Component                | Test method             | Test species / Duration | Study result      |
| Tetrahydrofuran          | OECD Test Guideline 416 | Rat                     | NOAEL = 3,000 ppm |
| 109-99-9 ( 89 )          |                         | 2 Generation            |                   |

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system, Central nervous system (CNS).

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Do not empty into drains. Reacts with water so no ecotoxicity data for the substance is **Ecotoxicity effects** 

available.

| Component       | Freshwater Fish            | Water Flea            | Freshwater Algae |
|-----------------|----------------------------|-----------------------|------------------|
| Tetrahydrofuran | 2160 mg/l LC50 = 96 h      | EC50 48 h 3485 mg/l   |                  |
|                 | Pimephales promelas        | EC50: >10000 mg/L/24h |                  |
|                 | Leuciscus idus: LC50: 2820 |                       |                  |
|                 | mg/L/48h                   |                       |                  |

12.2. Persistence and degradability No information available

**Persistence** Persistence is unlikely, based on information available.

Degradability

Reacts with water.

Degradation in sewage

treatment plant

Reacts violently with water.

Bioaccumulation is unlikely; Product does not bioaccumulate due to reaction with water 12.3. Bioaccumulative potential

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Tetrahydrofuran | 0.45    | No data available             |

Reacts violently with water . Is not likely mobile in the environment. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

Reacts violently with water.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

| Component       | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated |
|-----------------|--|---------------------------------------|
|                 |  | Substances                            |
| Tetrahydrofuran | Group III Chemical                       |                                       |

4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

12.7. Other adverse effects Persistent Organic Pollutant **Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

## **SECTION 14: TRANSPORT INFORMATION**

## IMDG/IMO

UN2924 14.1. UN number

Flammable liquid, corrosive, n.o.s. 14.2. UN proper shipping name

**Technical Shipping Name** Tetrahydrofuran, 4-Fluoro-3-methylphenylmagnesium bromide

14.3. Transport hazard class(es) 3 **Subsidiary Hazard Class** 8 14.4. Packing group II

ADR

UN2924 14.1. UN number

14.2. UN proper shipping name Flammable liquid, corrosive, n.o.s.

**Technical Shipping Name** Tetrahydrofuran, 4-Fluoro-3-methylphenylmagnesium bromide

14.3. Transport hazard class(es) 3 **Subsidiary Hazard Class** 

8 14.4. Packing group II

IATA

UN2924 14.1. UN number

14.2. UN proper shipping name Flammable liquid, corrosive, n.o.s.

**Technical Shipping Name** Tetrahydrofuran, 4-Fluoro-3-methylphenylmagnesium bromide

14.3. Transport hazard class(es) 3 **Subsidiary Hazard Class** 8 II 14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                       | CAS No     | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|---------------------------------|------------|-----------|--------|-----|-------|------|----------|------|------|
| 4-Fluoro-3-methylphenylmagnesiu | 82297-89-0 | -         | -      | -   | -     | -    | -        | -    | -    |
| m bromide                       |            |           |        |     |       |      |          |      |      |
| Tetrahydrofuran                 | 109-99-9   | 203-726-8 | -      | -   | X     | Х    | KE-33454 | X    | Х    |

| Component                                 | CAS No     | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|---|------------|------|---|-----|------|------|-------|-------|
| 4-Fluoro-3-methylphenylmagnesiu m bromide | 82297-89-0 | -    | -   | -   | -    | -    | -     | -     |
| Tetrahydrofuran                           | 109-99-9   | Χ    | ACTIVE  | Χ   | ı    | Χ    | Χ     | Х     |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

| Component                                | CAS No     | REACH (1907/2006) -<br>Annex XIV - Substances<br>Subject to Authorization | REACH (1907/2006) -<br>Annex XVII - Restrictions<br>on Certain Dangerous<br>Substances | REACH Regulation (EC<br>1907/2006) article 59 -<br>Candidate List of<br>Substances of Very High<br>Concern (SVHC) |
|--|------------|---|--|---|
| 4-Fluoro-3-methylphenylmagnesium bromide | 82297-89-0 | -   | -  | -   |
| Tetrahydrofuran                          | 109-99-9   | -   | Use restricted. See entry<br>75.<br>(see link for restriction<br>details)              | -   |

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Seveso III Directive (2012/18/EC)

| Component                                 | CAS No     | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Major Accident<br>Notification | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Safety Report<br>Requirements |
|---|------------|---|--|
| 4-Fluoro-3-methylphenylmag nesium bromide | 82297-89-0 | Not applicable  | Not applicable   |
| Tetrahydrofuran                           | 109-99-9   | Not applicable  | Not applicable   |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 1 (self classification)

| Component       | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------|---------------------------------------|-------------------------|
| Tetrahydrofuran | WGK1                                  |                         |

| Component       | France - INRS (Tables of occupational diseases)      |
|-----------------|--|
| Tetrahydrofuran | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component                          | Switzerland - Ordinance on the<br>Reduction of Risk from<br>handling of hazardous<br>substances preparation (SR<br>814.81) | Switzerland - Ordinance on<br>Incentive Taxes on Volatile<br>Organic Compounds (OVOC) | Switzerland - Ordinance of the<br>Rotterdam Convention on the<br>Prior Informed Consent<br>Procedure |
|------------------------------------|--|---|--|
| Tetrahydrofuran<br>109-99-9 ( 89 ) |  | Group I   |  |

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

#### **SECTION 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

EUH014 - Reacts violently with water

EUH019 - May form explosive peroxides

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

## 4-Fluoro-3-methylphenylmagnesium bromide, 0.5M solution in THF

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%EC50 - Effective Concentration 50%NOEC - No Observed Effect ConcentrationPOW - Partition coefficient Octanol:WaterPBT - Persistent, Bioaccumulative, ToxicvPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

 $\textbf{MARPOL} \cdot \text{International Convention for the Prevention of Pollution from}$ 

Revision Date 06-Dec-2024

Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health Hazards Calculation method
Environmental hazards Calculation method

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Creation Date20-Jul-2010Revision Date06-Dec-2024Revision SummaryNot applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**