

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: Gold wire, 14kt, yellow  
Cat No. : 40329  
REACH registration number -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

E-mail address [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Based on available data, the classification criteria are not met

##### Health hazards

Based on available data, the classification criteria are not met

##### Environmental hazards

Based on available data, the classification criteria are not met

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

Full text of Hazard Statements: see section 16

## 2.2. Label elements

None required

EUH210 - Safety data sheet available on request

## 2.3. Other hazards

Toxicity to Soil Dwelling Organisms  
Toxic to terrestrial vertebrates  
This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Gold	7440-57-5	EEC No. 231-165-9	58.5	-
Copper	7440-50-8	EEC No. 231-159-6	33.1	-
Zinc metal	7440-66-6	EEC No. 231-175-3	5.3	-
Silver	7440-22-4	EEC No. 231-131-3	3.1	-

REACH registration number

-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Self-Protection of the First Aider</b>	No special precautions required.

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

## 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable Extinguishing Media**  
approved class D extinguishers.

**Extinguishing media which must not be used for safety reasons**  
Water may be ineffective.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous Combustion Products**  
Gold oxide, Copper oxides, Zinc oxide, Silver oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special precautions required.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Pick up and transfer to properly labelled containers.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry place. Keep away from acids.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 13  
**Storage Class (LGK) (Germany)**

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Copper	STEL: 0.6 mg/m <sup>3</sup> 15 min STEL: 2 mg/m <sup>3</sup> 15 min TWA: 1 mg/m <sup>3</sup> 8 hr TWA: 0.2 mg/m <sup>3</sup> 8 hr		TWA: 0.2 mg/m <sup>3</sup> 8 hr. Cu fume TWA: 1 mg/m <sup>3</sup> 8 hr. Cu dusts and mists STEL: 2 mg/m <sup>3</sup> 15 min STEL: 0.6 mg/m <sup>3</sup> 15 min
Silver	STEL: 0.3 mg/m <sup>3</sup> 15 min TWA: 0.1 mg/m <sup>3</sup> 8 hr	TWA: 0.1 mg/m <sup>3</sup> (8h)	TWA: 0.1 mg/m <sup>3</sup> 8 hr. Ag metallic STEL: 0.3 mg/m <sup>3</sup> 15 min

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Copper 7440-50-8 ( 33.1 )		DNEL = 273mg/kg bw/day		DNEL = 137mg/kg bw/day
Zinc metal 7440-66-6 ( 5.3 )				DNEL = 83mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Zinc metal 7440-66-6 ( 5.3 )				DNEL = 5mg/m <sup>3</sup>
Silver 7440-22-4 ( 3.1 )				DNEL = 0.1mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

Copper 7440-50-8 ( 33.1 )	PNEC = 7.8µg/L	PNEC = 87mg/kg sediment dw		PNEC = 230µg/L	PNEC = 65mg/kg soil dw
Zinc metal 7440-66-6 ( 5.3 )	PNEC = 20.6µg/L	PNEC = 235.6mg/kg sediment dw		PNEC = 100µg/L	PNEC = 106.8mg/kg soil dw
Silver 7440-22-4 ( 3.1 )	PNEC = 0.04µg/L	PNEC = 438.13mg/kg sediment dw		PNEC = 0.025mg/L	PNEC = 1.41mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Copper 7440-50-8 ( 33.1 )	PNEC = 5.2µg/L	PNEC = 676mg/kg sediment dw			
Zinc metal 7440-66-6 ( 5.3 )	PNEC = 6.1µg/L	PNEC = 121mg/kg sediment dw			
Silver 7440-22-4 ( 3.1 )	PNEC = 0.86µg/L	PNEC = 438.13mg/kg sediment dw			

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions.

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

No special protective equipment required

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	EN 374	(minimum requirement)

**Skin and body protection** Long sleeved clothing.

#### Respiratory Protection

No protective equipment is needed under normal use conditions.

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particle filter

#### Small scale/Laboratory use

Maintain adequate ventilation

#### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical State

Solid

#### Appearance

Yellow

#### Odor

No information available

#### Odor Threshold

No data available

#### Melting Point/Range

No data available

#### Softening Point

No data available

#### Boiling Point/Range

No information available

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Flash Point	No information available	<b>Method -</b> No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	Not applicable	
Viscosity	Not applicable	Solid
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

## 9.2. Other information

Evaporation Rate Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.  
Hazardous Reactions None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

. Acids.

### 10.6. Hazardous decomposition products

Gold oxide. Copper oxides. Zinc oxide. Silver oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral Based on available data, the classification criteria are not met  
Dermal Based on available data, the classification criteria are not met  
Inhalation Based on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Copper	-	-	LC50 > 5.11 mg/L ( Rat ) 4 h

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

Zinc metal	LD50 = 630 mg/kg ( Rat )	-	-
Silver	LD50 > 5000 mg/kg ( Rat )	LD50 > 2000 mg/kg ( rat )	LC50 > 5.16 mg/L ( Rat ) 4 h

**(b) skin corrosion/irritation;** No data available

**(c) serious eye damage/irritation;** No data available

**(d) respiratory or skin sensitization;**  
**Respiratory** No data available  
**Skin** No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available  
 There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** No data available

**(h) STOT-single exposure;** No data available

**(i) STOT-repeated exposure;** No data available  
**Target Organs** No information available.

**(j) aspiration hazard;** Not applicable  
 Solid

**Symptoms / effects, both acute and delayed** No information available.

**11.2. Information on other hazards**

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**Ecotoxicity effects** Contains a substance which is: Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Copper	LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.052 mg/L, 96h	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)	EC50: 0.031 - 0.054 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535 mg/L, 72h static (Pseudokirchneriella subcapitata)

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

	flow-through (Oncorhynchus mykiss) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas)		
Zinc metal	LC50: = 0.41 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L, 96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static (Pimephales promelas) LC50: = 30 mg/L, 96h (Cyprinus carpio) LC50: = 0.45 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus)	EC50: 0.139 - 0.908 mg/L, 48h Static (Daphnia magna)	EC50: 0.09 - 0.125 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella subcapitata)
Silver	0.064 mg/L LC50 96 h 0.0062 mg/L LC50 96 h 0.00155 - 0.00293 mg/L LC50 96 h	0.00024 mg/L EC50 = 48 h	

**12.2. Persistence and degradability** Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
**Persistence** May persist.  
**Degradability** Not relevant for inorganic substances.  
**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**12.3. Bioaccumulative potential** Product has a high potential to bioconcentrate

**12.4. Mobility in soil** No information available

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

**12.6. Endocrine disrupting properties**  
**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

<b>Waste from Residues/Unused Products</b>	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
<b>Contaminated Packaging</b>	Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.
<b>European Waste Catalogue (EWC)</b>	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
<b>Other Information</b>	Do not flush to sewer.

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**ADR** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**IATA** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Gold	7440-57-5	231-165-9	-	-	X	X	KE-18083	X	-

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

Copper	7440-50-8	231-159-6	-	-	X	X	KE-08896	X	-
Zinc metal	7440-66-6	231-175-3	-	-	X	X	KE-35518	X	-
Silver	7440-22-4	231-131-3	-	-	X	X	KE-31261	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Gold	7440-57-5	X	ACTIVE	X	-	X	X	X
Copper	7440-50-8	X	ACTIVE	X	-	X	X	X
Zinc metal	7440-66-6	X	ACTIVE	X	-	X	X	X
Silver	7440-22-4	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Gold	7440-57-5	-	Use restricted. See item 75. (see link for restriction details)	-
Copper	7440-50-8	-	Use restricted. See item 75. (see link for restriction details)	-
Zinc metal	7440-66-6	-	Use restricted. See item 75. (see link for restriction details)	-
Silver	7440-22-4	-	Use restricted. See item 75. (see link for restriction details)	-

### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Gold	7440-57-5	Not applicable	Not applicable
Copper	7440-50-8	Not applicable	Not applicable
Zinc metal	7440-66-6	Not applicable	Not applicable
Silver	7440-22-4	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Gold	nwg	
Copper	WGK2	Class III : 1 mg/m <sup>3</sup> (Massenkonzentration)
Zinc metal	nwg	
Silver	nwg	

Component	France - INRS (Tables of occupational diseases)
Zinc metal	Tableaux des maladies professionnelles (TMP) - RG 61

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Copper 7440-50-8 ( 33.1 )	Prohibited and Restricted Substances		
Zinc metal 7440-66-6 ( 5.3 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

#### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

#### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**  
**Physical hazards** On basis of test data

# SAFETY DATA SHEET

Gold wire, 14kt, yellow

Revision Date 02-Feb-2024

---

<b>Health Hazards</b>	Calculation method
<b>Environmental hazards</b>	Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

<b>Prepared By</b>	Health, Safety and Environmental Department
<b>Revision Date</b>	02-Feb-2024
<b>Revision Summary</b>	New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**