

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 27-Jan-2010 Revision Date 02-May-2025 Revision Number 7

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Dichloromethane

Cat No.: 32440

Synonyms Dichloromethane; DCM

 Index No
 602-004-00-3

 CAS No
 75-09-2

 EC No
 200-838-9

 Molecular Formula
 C H2 Cl2

REACH registration number -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

**Product category** PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against REACH Annex XVII Restriction - refer to SECTION 15

#### 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

### Dichloromethane Revision Date 02-May-2025

Category 2 (H315)

Category 2 (H319)

Category 2 (H351)

Category 3 (H336)

Based on available data, the classification criteria are not met

#### **Health hazards**

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Carcinogenicity
Specific target organ toxicity - (single exposure)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

#### Warning

#### **Hazard Statements**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

#### Additional EU labelling

Restricted to industrial use and to approved professionals

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system

The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal Do not use in areas without adequate ventilation.

Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing Decomposes in a fire, giving off toxic fumes: phosgene and hydrochloric acid, Carbon monoxide Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers This product does not contain any known or suspected endocrine disruptors

\_\_\_\_\_

Dichloromethane Revision Date 02-May-2025

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

| Component          | CAS No  | EC No             | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and           |
|--------------------|---------|-------------------|----------|---|
|                    |         |                   |          | UK SI 2020/1567   |
| Methylene chloride | 75-09-2 | EEC No. 200-838-9 | >99.5    | Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>STOT SE 3 (H336)<br>Carc. 2 (H351) |

#### Note

Stabilised with Amylene (CAS 513-35-9)

| REACH registration number | - |
|---------------------------|---|

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Self-Protection of the First Aider**Use personal protective equipment as required.

#### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression: Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal: Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician A patient adversely affected by exposure to this product should not be given adrenaline

(epinephrine) or similar heart stimulant since these would increase the risk of cardiac

arrhythmias. Treat symptomatically. Symptoms may be delayed.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

## Dichloromethane

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid breathing vapors or mists. Wear respiratory protection.

#### 6.2. Environmental precautions

Should not be released into the environment.

### 6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Ventilate the area.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Vapors are heavier than air and may spread along floors. Handle product only in closed system or provide appropriate exhaust ventilation. Reacts with aluminum and its alloys.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in aluminum containers.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1D Storage Class (LGK) (Germany)

ALFAA32440

Revision Date 02-May-2025

### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component          | The United Kingdom                 | European Union                      | Ireland                            |
|--------------------|------------------------------------|-------------------------------------|------------------------------------|
| Methylene chloride | STEL: 200 ppm 15 min               | TWA: 353 mg/m <sup>3</sup> (8h)     | TWA: 100 ppm 8 hr.                 |
|                    | STEL: 706 mg/m <sup>3</sup> 15 min | TWA: 100 ppm (8h)                   | TWA: 353 mg/m <sup>3</sup> 8 hr.   |
|                    | TWA: 353 mg/m <sup>3</sup> 8 hr    | STEL: 706 mg/m <sup>3</sup> (15min) | STEL: 200 ppm 15 min               |
|                    | TWA: 100 ppm 8 hr                  | STEL: 200 ppm (15min)               | STEL: 706 mg/m <sup>3</sup> 15 min |
|                    | Skin                               | Skin                                | Skin                               |

#### **Biological limit values**

List source(s): **UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

| Component          | United Kingdom                           | European Union |
|--------------------|--|----------------|
| Methylene chloride | Carbon monoxide: 30 ppm end-tidal breath |                |
|                    | post shift                               |                |

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component          | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|--------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Methylene chloride |                              |                                 |                                | DNEL = 12mg/kg                    |
| 75-09-2 ( >99.5 )  |                              |                                 |                                | bw/day                            |

| Component                               | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Methylene chloride<br>75-09-2 ( >99.5 ) |                                  | DMEL = 132.14mg/m <sup>3</sup>      |                                    | DNEL = 176mg/m <sup>3</sup>           |

### **Predicted No Effect Concentration (PNEC)**

Predicted No Effect Concentration (PNEC). See values below.

| Γ | Component          | Fresh water     | Fresh water      | Water Intermittent | Microorganisms in | Soil (Agriculture)   |
|---|--------------------|-----------------|------------------|--------------------|-------------------|----------------------|
|   |                    |                 | sediment         |                    | sewage treatment  |                      |
| Γ | Methylene chloride | PNEC = 130µg/L  | PNEC = 163µg/kg  | PNEC = 0.27mg/L    | PNEC = 26mg/L     | $PNEC = 173\mu g/kg$ |
| 1 | 75-09-2 ( >99.5 )  | PNEC = 0.31mg/L | sediment dw      |                    | -                 | soil dw              |
| 1 |                    |                 | PNEC = 2.57mg/kg |                    |                   | PNEC = 0.33mg/kg     |
|   |                    |                 | sediment dw      |                    |                   | soil dw              |

| Component          | Marine water   | Marine water sediment | Marine water intermittent | Food chain | Air |
|--------------------|----------------|-----------------------|---------------------------|------------|-----|
| Methylene chloride | PNEC = 130µg/L | PNEC = 163µg/kg       | PNEC = 0.027 mg/L         |            |     |

Dichloromethane Revision Date 02-May-2025

| 75-09-2 ( >99.5 ) | PNEC = 0.031 mg/L | sediment dw      |  |  |
|-------------------|-------------------|------------------|--|--|
|                   |                   | PNEC = 0.26mg/kg |  |  |
|                   |                   | sediment dw      |  |  |

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

|   | Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments                           |
|---|----------------|-------------------|-----------------|-------------|--|
|   | Viton (R)      | < 120 minutes     | 0.7 mm          | EN 374      | As tested under EN374-3 Determination of |
|   | Nitrile rubber | < 4 minutes       | 0.38 mm         |             | Resistance to Permeation by Chemicals    |
| ĺ | PVA            | > 360 minutes     |                 |             |  |

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection In case of inadequate ventilation wear respiratory protection. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use In case of insufficient ventilation, wear suitable respiratory equipment: Any supplied-air

respirator that has a full facepiece and is operated in a pressure-demand or other positive

pressure mode:

When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators: full face mask (DIN EN 136)

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to

EN371

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless

Dichloromethane Revision Date 02-May-2025

Odor sweet

**Odor Threshold** No data available -97 °C / -142.6 °F Melting Point/Range **Softening Point** No data available **Boiling Point/Range** 39 °C / 102.2 °F Flammability (liquid) No data available Flammability (solid,gas) Not applicable

Liquid

**Explosion Limits** Lower 13 vol%

Upper 22 vol%

No information available **Flash Point** Method - No information available

**Autoignition Temperature** 556 °C / 1032.8 °F **Decomposition Temperature** No data available

Not applicable Insoluble in water pН

0.42 mPas @ 25°C Viscosity Water Solubility 20 g/L (20°C)

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

Component log Pow Methylene chloride 1.25

**Vapor Pressure** 350 mbar @ 20°C

**Density / Specific Gravity** 1.33

**Bulk Density** Not applicable Liquid **Vapor Density** 2.93 (Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula C H2 Cl2 **Molecular Weight** 84.93

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions. Decomposes on exposure to light.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur. **Hazardous Reactions** Forms a detonable mixture with nitric acid.

10.4. Conditions to avoid

Excess heat. Protect from direct sunlight.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Amines.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Dichloromethane Revision Date 02-May-2025

**Product Information** 

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral Based on available data, the classification criteria are not met Dermal Inhalation Based on available data, the classification criteria are not met

| Component          | LD50 Oral          | LD50 Dermal          | LC50 Inhalation         |
|--------------------|--------------------|----------------------|-------------------------|
| Methylene chloride | > 2000 mg/kg (Rat) | > 2000 mg/kg ( Rat ) | 53 mg/L ( Rat ) 6 h     |
|                    |                    |                      | 76000 mg/m³ ( Rat ) 4 h |

Category 2 (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component          | EU | UK | Germany | IARC     |
|--------------------|----|----|---------|----------|
| Methylene chloride |    |    |         | Group 2A |

Based on available data, the classification criteria are not met (g) reproductive toxicity;

Category 3 (h) STOT-single exposure;

Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central

nervous system.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

Dichloromethane

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity Ecotoxicity effects

ComponentFreshwater FishWater FleaFreshwater AlgaeMethylene chloridePimephales promelas: LC50:193<br/>mg/L/96hEC50: 140 mg/L/48h<br/>EC50:>660 mg/L/96h

| Component          | Microtox               | M-Factor |
|--------------------|------------------------|----------|
| Methylene chloride | EC50: 1 mg/L/24 h      |          |
| ·                  | EC50: 2.88 mg/L/15 min |          |

#### 12.2. Persistence and degradability

**Persistence** Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component          | log Pow | Bioconcentration factor (BCF) |
|--------------------|---------|-------------------------------|
| Methylene chloride | 1.25    | 6.4 - 40 dimensionless        |

12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** Th

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

ALFAA32440

Revision Date 02-May-2025

### **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN1593

14.2. UN proper shipping name Dichloromethane

14.3. Transport hazard class(es) 6.1 14.4. Packing group III

<u>ADR</u>

**14.1. UN number** UN1593

14.2. UN proper shipping name Dichloromethane

**14.3. Transport hazard class(es)** 6.1 **14.4. Packing group** III

IATA

**14.1. UN number** UN1593

**14.2. UN proper shipping name** Dichloromethane

14.3. Transport hazard class(es) 6.1 14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** 

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component          | CAS No  | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|--------------------|---------|-----------|--------|-----|-------|------|----------|------|------|
| Methylene chloride | 75-09-2 | 200-838-9 | -      | -   | X     | X    | KE-23893 | Χ    | X    |

| Component          | CAS No  | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------------------|---------|------|---|-----|------|------|-------|-------|
| Methylene chloride | 75-09-2 | X    | ACTIVE  | Х   | -    | X    | X     | Х     |

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

| Component          | CAS No  | REACH (1907/2006) -      | REACH (1907/2006) -       | REACH Regulation (EC    |
|--------------------|---------|--------------------------|---------------------------|-------------------------|
|                    |         | Annex XIV - Substances   | Annex XVII - Restrictions | 1907/2006) article 59 - |
|                    |         | Subject to Authorization | on Certain Dangerous      | Candidate List of       |
|                    |         |                          | Substances                | Substances of Very High |
|                    |         |                          |                           | Concern (SVHC)          |
| Methylene chloride | 75-09-2 | -                        | Use restricted. See entry | -                       |
|                    |         |                          | 59.                       |                         |

#### Dichloromethane

Revision Date 02-May-2025

|  | (see link for restriction |  |
|--|---------------------------|--|
|  | details)                  |  |
|  | Use restricted. See entry |  |
|  | 75.                       |  |
|  | (see link for restriction |  |
|  | details)                  |  |

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

Restricted to industrial use and to approved professionals.

### Seveso III Directive (2012/18/EC)

| Component          | CAS No  | Seveso III Directive (2012/18/EC) -      | Seveso III Directive (2012/18/EC) -     |
|--------------------|---------|--|---|
|                    |         | Qualifying Quantities for Major Accident | Qualifying Quantities for Safety Report |
|                    |         | Notification                             | Requirements                            |
| Methylene chloride | 75-09-2 | Not applicable                           | Not applicable                          |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component          | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                 |
|--------------------|---------------------------------------|---|
| Methylene chloride | WGK2                                  | Class I: 20 mg/m³ (Massenkonzentration) |

| Component France - INRS (Tables of occupa |                    | France - INRS (Tables of occupational diseases)      |
|---|--------------------|--|
|   | Methylene chloride | Tableaux des maladies professionnelles (TMP) - RG 12 |

| Component                               | Switzerland - Ordinance on the<br>Reduction of Risk from<br>handling of hazardous<br>substances preparation (SR<br>814.81) | Switzerland - Ordinance on<br>Incentive Taxes on Volatile<br>Organic Compounds (OVOC) | Switzerland - Ordinance of the<br>Rotterdam Convention on the<br>Prior Informed Consent<br>Procedure |
|---|--|---|--|
| Methylene chloride<br>75-09-2 ( >99.5 ) | Persistent Organic Pollutants<br>(POPs)<br>Prohibited and Restricted<br>Substances   | Group I   |  |

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted

### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Shins

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

**Creation Date** 27-Jan-2010 **Revision Date** 02-May-2025

SDS sections updated, 2, 3, 6, 8, 15. **Revision Summary** 

### This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**