

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 30-Nov-2024

Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml
Cat No. :	13870
Molecular Formula	La2 O3 in 5% HN O3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd.	
(Part of Thermo Fisher Scientific)	
Shore Road, Heysham	
Lancashire, LA3 2XY,	
United Kingdom	
Office Tel: +44 (0) 1524 850506	
Office Fax: +44 (0) 1524 850608	

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency	Ireland : National Poisons Information Centre (NPIC) -
information services	01 809 2166 (8am-10pm, 7 days a week)
	Malta : +356 2395 2000 Cyprus : +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Substances/mixtures corrosive to metal

Health hazards

ALFAA13870

Category 1 (H290)

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	94.88	-
Nitric acid% [C ≤ 70 %]	7697-37-2	231-714-2	5	Ox. Liq. 3 (H272) Met. Corr. 1 (H290) Acute Tox. 3 (H331) Skin Corr. 1A (H314) Eye Dam. 1 (H318) (EUH071)
Lanthanum oxide (La2O3)	1312-81-8	EEC No. 215-200-5	0.12	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
-----------	--	----------	-----------------

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

Nitric acid …% [C ≤ 70 %]	Ox. Liq. 2 :: C>=99%	-	-
	Ox. Liq. 3 :: 65%<=C<99%		
	Acute Tox. 1 (inhal) :: C>=70%		
	Acute Tox. 3 (inhal) ::		
	70%>C>=26.5%		
	Acute Tox. 4 (inhal) ::		
	26.5%>C>=13.25%		
	Skin Corr. 1A :: C>=20%		
	Skin Corr. 1B :: 5%<=C<20%		
	Met. Corr. 1 :: C>=2%		
	EUH071 :: C>=20%		

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid …% [C ≤ 70 %]	-	-	ATE = 2.65 mg/L (vapours)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2 Most important symptoms and	effects both acute and delayed

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

the risk of explosion. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Nitrogen oxides (NOx), Metal oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8B Storage Class (LGK) (Germany)

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Nitric acid …% [C ≤ 70 %]	STEL: 1 ppm 15 min	STEL: 1 ppm (15min)	STEL: 1 ppm 15 min
	STEL: 2.6 mg/m ³ 15 min	STEL: 2.6 mg/m ³ (15min)	STEL: 2.6 mg/m ³ 15 min

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / **Derived Minimum Effect Level (DMEL)** See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
Lanthanum oxide (La2O3)				DNEL = 8.75mg/kg
1312-81-8 (0.12)				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Lanthanum oxide (La2O3)				DNEL = 61.5mg/m ³
1312-81-8(0.12)				

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Microorganisms in sewage treatment	
Lanthanum oxide (La2O3)	PNEC = 10mg/L	PNEC = 15.5mg/kg		PNEC = 18.9mg/kg
1312-81-8 (0.12)		sediment dw		soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Lanthanum oxide (La2O3) 1312-81-8 (0.12)	PNEC = 1mg/L	PNEC = 15.5mg/kg sediment dw		PNEC = 156mg/kg food	

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

Personal protective ed Eye Protection		(European standa	rd - EN 166)	
•				
Hand Protection	Protectiv	e gloves		
Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			
Skin and body pro	tection Long sle	eved clothing.		
Ensure gloves are suita sensitisation effects, als of cuts, abrasion.		the specific local c		ditions, User susceptibility, e.g. he product is used, such as the danger
Respiratory Protect	appropri To prote	ate certified respirat	ors.	exposure limit they must use nent must be the correct fit and be used
Large scale/emergenc	-	of insufficient ventila nended Filter type:	tion, wear suitable resp Acid gases filter	iratory equipment
Small scale/Laborator	yuse Use a N	IOSH/MSHA or Euro	opean Standard EN 149	22001 approved respirator if exposure

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

limits are exceeded or if irritation or other symptoms are experienced.

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	Clear No information available No data available No data available No data available No information available No data available Not applicable No data available	Liquid
Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/water Component Nitric acid% [C \leq 70 %] Vapor Pressure Density / Specific Gravity	No information available No data available No data available 1 No data available Miscible No information available er) log Pow -2.3 23 hPa @ 20 °C No data available	Method - No information available

ALFAA13870

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

Revision Date 30-Nov-2024

Bulk Density Vapor Density Particle characteristics	Not applicable No data available Not applicable (liquid)	Liquid (Air = 1.0)
9.2. Other information Molecular Formula	La2 O3 in 5% HN O3	
	SECTION 10: STABILITY	(AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

- 10.3. Possibility of hazardous reactions
- Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.
- <u>10.4. Conditions to avoid</u> Incompatible products. Excess heat.
- 10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Metal oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;	
Oral	Based on available data, the classification criteria are not met
Dermal	No data available
Inhalation	No data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid …% [C ≤ 70 %]	-	-	LC50 = 2500 ppm. (Rat) 1h

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid …% [C ≤ 70 %]	-	-	ATE = 2.65 mg/L (vapours)
			.

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

Revision Date 30-Nov-2024

Respiratory Skin	No data available No data available		
(e) germ cell mutagenicity;	No data available		
f) carcinogenicity;	No data available		
	There are no known carcinogenic chemicals in	this product	
g) reproductive toxicity;	No data available		
h) STOT-single exposure;	No data available		
i) STOT-repeated exposure;	No data available		
Target Organs	No information available.		
j) aspiration hazard;	No data available		
Symptoms / effects,both acute and lelayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.		
1.2. Information on other hazards			
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.		
SE	CTION 12: ECOLOGICAL INFORM	IATION	
<u>12.1. Toxicity</u> Ecotoxicity effects	May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.		
2.2. Persistence and degradability Persistence Degradation in sewage treatment plant	 ty Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. 		
12.3. Bioaccumulative potential	May have some potential to bioaccumulate		
Component	log Pow	Bioconcentration factor (BCF)	
Nitric acid …% [C ≤ 70 %]	-2.3	No data available	
2.4. Mobility in soil	The product is water soluble, and may spread i environment due to its water solubility. Highly		
12.5. Results of PBT and vPvB	No data available for assessment.		

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

assessment

<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

<u>14.1. UN number</u>	UN3264
<u>14.2. UN proper shipping name</u>	Corrosive liquid, acidic, inorganic, n.o.s.
Technical Shipping Name	(NITRIC ACID)
<u>14.3. Transport hazard class(es)</u>	8
<u>14.4. Packing group</u>	III
ADR <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID) 8 III
IATA	
<u>14.1. UN number</u>	UN3264
14.2. UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.

14.2. UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
Technical Shipping Name	(NITRIC ACID)
<u>14.3. Transport hazard class(es)</u>	8
14.4. Packing group	III
14.5. Environmental hazards	No hazards identified

Lanthanum, plasma standard solution, Specpure®, La 1000µg/ml

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable, packaged goods

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	Х	Х	KE-35400	Х	-
Nitric acid% [C ≤ 70 %]	7697-37-2	231-714-2	-	-	Х	Х	KE-25911	Х	Х
Lanthanum oxide (La2O3)	1312-81-8	215-200-5	-	-	Х	Х	KE-21836	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	Х
Nitric acid …% [C ≤ 70 %]	7697-37-2	Х	ACTIVE	Х	-	Х	Х	Х
Lanthanum oxide (La2O3)	1312-81-8	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Nitric acid …% [C ≤ 70 %]	7697-37-2	-	Use restricted. See entry 75. (see link for restriction details)	-
Lanthanum oxide (La2O3)	1312-81-8	-	-	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Nitric acid …% [C ≤ 70 %]	7697-37-2	Not applicable	Not applicable
Lanthanum oxide (La2O3)	1312-81-8	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Nitric acid …% [C ≤ 70 %]	WGK1	
Lanthanum oxide (La2O3)	nwg	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Nitric acid …% [C ≤ 70 %]	Prohibited and Restricted		
7697-37-2 (5)	Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidizer

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH071 - Corrosive to the respiratory tract

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	,
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

Lanthanum, plasma standard solution, Specpure $\ensuremath{\mathbb{R}}$, La 1000 $\ensuremath{\mu g}\xspace/\ensuremath{m}$

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, R	ICAO/IATA - Intern Transport Associal MARPOL - Interna Ships ATE - Acute Toxic VOC - (Volatile Org
Suppliers safety data sneet, Chemadvisor - LOLI, Merck Index, R	RIECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation methodEnvironmental hazardsCalculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By	Health, Safety and Environmental Department
Revision Date	30-Nov-2024
Revision Summary	Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet